

SWIVEL JOINTS

TB Global Technologies Ltd.

Notice: Tokyo Boeki Machinery Ltd. and Tokyo Boeki Engineering Ltd. merged on April 1, 2021 to become TB Global Technologies Ltd.

boeki wachinery Ltd. and Tokyo boeki Engineering Ltd. merged on April 1, 2021 to become 16 Global Technologies Ltd.
28F KYOBASHI EDOGRAND, 2-2-1 Kyobashi, Chuo-ku, Tokyo, 104-0031, Japan TEL: +81-3-6841-8491 FAX: +81-3-6841-8450
2-5-1 Jooka, Nagaoka City, Niigata, 940-0021, Japan TEL: +81-258-24-1650 FAX: +81-258-24-0000
2 Venture Drive #16-12, Vision Exchange, Singapore, 608526 TEL: +65-6909-2333 FAX: +65-6909-3474
No.3 Dong San Huan Bei Lu, Chaoyang Discrit, Beijing, China 100027 Room 1014, Lucky Tower B TEL: +86-10-65516609 FAX: +86-10-65518229

https://www.tbgtech.co.jp






Flexible 360 degree rotation

TB-NIIGATA SWIVEL JOINTS allow complicated

movement of pipe line



CONTENTS	03	Feature & Structure
		FASTIIRA X. STRIICTIIRA

04 Information for spec selection

05 Quick reference chart

06-08 Product lineup : General-purpose type

09 Product lineup: Double seal type(BD, BDR)

10 Product lineup: Super high pressure balance type(NSB,NPB)

11 Product lineup : Sanitary type(NS)

12-21 Standard size list

22-24 Mass list

25-28 Replacement parts list

29 Earthquake isolation system

30 **Articulated Piping Systems**

31-33 Precaution

34 **TB-NIIGATA Wing Union**

35 **TB-NIIGATA Ball joint**

TB-NIIGATA SWIVEL JOINTS











Special packing

- •Designed to reduce rotational resistance and provide high-pressure sealing with low friction.
- Offers long-lasting reliable sealing function with excellent wear resistance and low compression set.
- Features a trapezoidal cross-sectional shape to prevent twisting.
- Outilizes a self-sealing mechanism that enhances sealing performance when axial pressure is applied.
- •Includes an outer ring to prevent damage from extrusion in the joint gap.



Grease retainer ring

The unique shape of this product ensures long-lasting use with minimal wear and deformation over time.




X-ring (for Submerged service)

- •X-shaped cross section ensures twist-free rotation under pressure, providing durable wear resistance and sealing for internal and external pressures.
- Offers reliable sealing performance even without pressure, thanks to proper interference and a self-sealing mechanism that increases surface pressure with fluid pressure.



Ball retainer ring

O-ring inclusion prevents dust and rainwater from entering the ball bearing area.



Please check the following information before order.


Color code

2 Size

3 Style No.

Green (G)
Blue (B)
Stainless (STT)
N style (N)
BD, BDR
Silver (S)
SN style (SN)
Orange (SH)
NHB
NSB
NPB
NSB

Nominal Dia (Inch)		
Nominal Dia	Inch	
10A	3/8"	
15A	1/2"	
20A	4/3"	
25A	1"	
32A	1-1/4"	
40A	1-1/2"	
50A	2"	
65A	2-1/2"	
80A	3"	
100A	4"	
125A	5"	
150A	6"	
200A	8"	
250A	10"	
300A	12"	




Packing (Seal material)

Materials	Code	Temp.Range	Main applicable fluid
NBR(Buna N)	00	-10℃~+80℃	Industrial water, Sea water, Bunker C, Lubricant oil, Air, Cement, Hydraulic oil(water/petro), etc.NBR
NBR(Buna N Aromatic Resistance)	55	-10℃~+60℃	Crude oil(-10 \sim +60°C), Gasoline, Jet fuel, Bunker A, LPG, CO2, etc.
EPT	6X	-35℃~+60℃	Ammonia, etc.
FPM	НН	-7℃~ +125℃	Crude oil(+61 \sim +120°C), Hydraulic oil(ester phosphate), Sulphur acid(80 \sim 120%), etc.
PTFE + SST Spring	AD	-50°C∼+200°C	Steam, Ethyl alcohol, Chemical, Food service, etc.

Connection











You can choose FF(Flat face) or RF(Raised face)

TB-NIIGATA Swivel Joint

		0 11 1 12 (11)		5 End Connections			Max.Press (MPa)
Model	1 Color code	Material (JIS)	Material (JIS) 2 Nominal Dia (Inch)	Threaded (THRD)	Flanged (FL)	Welded (WELD)	Operation
	Green(G)	FCD500	3/8 ~ 4	0	-	-	2.06
	Blue(B)	S30C/S40C AISI 1040	3/8 ~ 4	0	0	0	3.43
	Dide(D)	\$40C	5 ~ 12	-	0	0	0.40
			3/8 ~ 2	0	0	0	
Low Pressure	Stainless(SST)	SUS316	2-1/2 ~ 4	Δ	0	0	2.06
			5~12	-	0	0	
	Type N(N)	S30C	2-1/2 ~ 4	-	0	0	3.43
	Type N(N)	SF490A	6~12	-	0	0	2.06
	BD · BDR	S40C	2-1/2 ~ 12	-	0	0	3.43
	0.1 (0)		3/8 ~ 1	0	0	0	20.59
High Pressure	Silver(S)	S40C	1-1/4 ~ 2-1/2	0	0	0	10.3
	Silver(SN)		3~4	-	0	0	10.3
Extra High	Orange(SH)	0400	3/8 ~ 2	0	0	0	34.32
Pressure		S40C	2-1/2~5	-	0	0	20.59
	NHB	S25C	1	Δ	0	0	37.27
Extra High Pressure Balance	NSB	S40C	1-1/4 ~ 6	Δ	0	0	39.23
Balance	NPB	S35C	3~5	-	0	0	3,4 : 25 5 : 21
Sanitary	NS	SUS316	15~45		F/ISO Ferri		0.98

* $\triangle \cdot \cdot \cdot$ Thread adapters are welded on the ends.

*Other specifications are available on a made-to-order basis.

※NPS · · · Normal Pipe Size

- •Female thread ("Rc" in JIS) is applied to all thread connection. (especially, fluid and temperature)
- •Main material of swivel joints are shown in the table above. Material of flanges and pipes are not necessarily the same. Contact our sales representatives for more details.
- Other specifications are available upon request.





Low Pressure Swivel Joints

Green

Blue

Low pressure swivel joints are used in various kinds of installations for operations. They are widely used in making up loading racks and flexible lines for handling all types of materials. The larger sizes find extensive use in all-metal loading and unloading lines, such as dock risers, and on manifold jumper lines.

Applicable Industries:

Iron, Steel, Petrochemical, Oil Refinery, Chemicals, Automobile, Machine Tools, Foods, Marine Loading / Unloading, Construction, Water / Treatment Hose Neck (prevent twist), pipe line of water or lubricant and others.

Color Code	Green (G)
Material (JIS)	FCD500
Nominal Dia.	3/8 - 4
Max. operating press.	2.06MPa
End Connection	THRD

Color Code	Blue (B)		
Material (JIS)	S30C / S40C /AISI1040		
Nominal Dia.	3/8 - 4	5 - 12	
Max. operating press.	3.43MPa		
End Connection	THRD / FL / WELD	FL / WELD	



Low Pressure Swivel Joints

Stainless

Stainless steel swivel joints are mainly used for cryogenic service and corrosive substances.

Additional Option:

Snap-in ball races for resistance against heavy load

Applicable Industries:

Iron, Steel, Petrochemical, Oil Refinery, Chemicals, Foods, Marine Loading / Unloading, Water / Drainage Treatment and others.

Color Code	Stainless (SST)	
Material (JIS)	SUS316	
Nominal Dia.	3/8 - 4	5 - 12
Max. operating press.	2.06MPa	
End Connection	THRD / FL / WELD	FL / WELD



Low Pressure Swivel Joints

Type N

Type N swivel joints have a standard elbow design to minimize turbulence flow and cavitation. They are widely used in making up suction hoses, and for handling all material loading and unloading lines. Applications include dog-leg on vertical plane for gas fuel services.

Applicable Industries:

Petrochemical, Oil Refinery, Industrial machinery, many others.

Color Code	Type N (N)	
Material (JIS)	S30C	SF490A
Nominal Dia.	2-1/2 - 4	6 - 12
Max. operating press.	3.43MPa	2.06MPa
End Connection	FL / WELD	FL / WELD



High Pressure Swivel Joints

Silver (S)

High pressure swivel joints are applied to wide variety of industries as below:

They are widely used for high pressure hydraulic, air and cooling lines including others for absorption of vibration, deformation in piping system.

Applicable Industries:

Oil Drilling, Iron, Die-Cast Machine, Plastic Molding Machine, Industrial Machine, Mining, Aircraft, Various Oil Pressure Machines and Others.

Color Code	Silver	
Material (JIS)	S40C	
Nominal Dia.	3/8 - 1	1-1/4 - 2-1/2
Max. operating press.	20.59MPa	10.30MPa
End Connection	THRD / FL / WELD	

High Pressure Swivel Joints

High pressure swivel joints are applied to wide variety of

They are widely used for high pressure hydraulic, air and cooling lines including others for absorption of vibration,

Type SN (SN)



Swivel joint for FRT (BD · BDR)

SWIVEL JOINTS

Double-seal type(BD.BDR) swivel joints are mainly used for drain piping systems for floating roof tanks. They have special double or triple-seal, structure to withstand external pressure.

Overlaid SUS316 is applied to sealing surface to prevent corrosion. BDR was improved from BD as long service life type.

Feature of **BDR**

Double seal structure

· Added X ring for external pressure.


Improvement of material (Packing, O-ring)

· Improved packing and X ring material to prevent compression set

Improved durability

· As a countermeasure against corrosion, overlaid SUS316 at the coupling tip end was extended.

- *During maintenance and assemble, corrosion at the coupling may cause X-rings damage.
- · Added overlaid SUS316 at the lip part.
- · Overlaid SUS316 at the surface of packing was extended.



Applicable Industries:

deformation in piping system.

Oil Drilling, Iron, Die-Cast Machine, Plastic Molding Machine, Industrial Machine, Mining, Aircraft, Various Oil Pressure Machines

Color Code	Type SN (SN)
Material (JIS)	S40C
Nominal Dia.	3 - 4
Max. operating press.	10.30MPa
End Connection	FL / WELD



High Pressure Swivel Joints

Orange (SH)


Extra High Pressure swivel joints are designed and built for extreme heavy duty where extreme pressure and high load

2-1/2B - 5B have triple ball race and specially designed.

Applicable Industries:

Oil Drilling, Iron, Various Industrial Machines and others.


Color Code	Orange (SH)	
Material (JIS)	S40C	
Nominal Dia.	3/8 - 2	2-1/2 - 5
Max. operating press.	34.32MPa	20.59MPa
End Connection	THRD / FL / WELD	FL / WELD




■BD · BDR

Size	2-1/2 ~ 12
Max working press(internal)	3.43MPa
Max working press(external)	0.25MPa
Connection	Flange
Material	S40C

Sealing surface (Packing & Xring): Overlaid SUS316






Super high pressure balanced swivel joint (NSB·NPB) SWIVEL JOINTS

NSB · NPB have pressure-balanced structure which enable them to withstand water hammer and vibration under high operating pressure.




- Double seal structure (Buffer ring + O-ring) *Only NHB• NSB
- 2 Buffer ring prevents impact pressure from being transmitted directly to the seal (O-ring B) **Only NHB•NPB
- 3 O-ring A prevents contamination from the outside
- 4 O-ring B with backup ring of PTFE prevents the extrusion of O-ring



■NPB · NSB Dimension table

_				
Model	:	3	4	1
	No.30/	′No.40	No.30	/No.40
Dimension	NSB	NPB	NSB	NPB
Α	180	112	200	130
В	145	105	180	130
С	124.5	103	148	120
D	180	166	220	218
E	256.2	188.2	301.6	231.6
F	76.2	76.2	101.6	101.6
G	89.1	89.1	114.3	114.3



Sanitary Swivel Joints (NS)

SWIVEL JOINTS

TB-NIIGATA Sanitary swivel joints are perfectly suitable for applications which have strict sanitary requirements such as food and chemical industries where frequent pipe cleaning is essential. Sanitary joints allow smooth liquid flow. They have simple structures that make it easy to assemble / disassemble, and mount / dismount without tools.



Easy Handling and Maintenance

Sanitary joints are easily assembled and disassembled by tighten and loosen clamp band by hand.

2 Smooth Fluid Flow

Flat shape in side of swivel joint.


Using Sweep Elbow.

It prevents fluid accumulation by the packing shape and allows smooth fluid flow.

3 Compact & Light weight

4 Buffing (#400)





Standard Packing

■Specifications


•	
Nominal Dia. (NPS)	1S · 1-1/2S · 2S · 2-1/2S · 3S · 4S
Style	No.20 · No.30 · No.40
Material	Body: SUS316
	Packing: PTFE + Silicon rubber
	*Non-silicon type (OFS) is available upon request.
Connection	IDF / ISO Ferrule
	$\ensuremath{\mathrm{\mathscr{W}}}$ Union and Plain (welded) ends are also available.
Max. Press.	0.98MPa
Temp. range	-10 ∼ +150°C
Whien believes at a distance	

*Non-lubricated type


Standard dimensions of TB-NIIGATA swivel joints are listed below. If a special dimension is required, consult our sales representatives.

Threaded ends / Bored or beveled for welding

































No.60







^{%1} For Blue(B), Silver(S) and Orange(SH), please refer "R" and "T" dimension.

■Green (G) Threaded ends

(unit: mm)

NPS Dim.	В	С	D	Е	F	G	K	L	Р	Q	V
3/8、1/2	75.4	42.9	66.7	118.3	85.8	28.6	38.1	26.7	88.9	109.6	30.5
3/4、1	98.4	63.5	92.1	161.9	127.0	41.3	57.2	41.0	114.3	155.6	46.1
1-1/4、1-1/2	113.5	76.2	108.7	189.7	152.4	58.7	73.0	56.0	126.2	184.9	53.5
2	145.3	87.3	155.6	232.6	174.6	74.6	95.3	74.6	146.8	242.9	65.0
2-1/2、3	174.6	117.5	192.1	292.1	235.0	101.6	125.4	101.6	166.7	202.5	78.4
4	193.7	127.0	231.8	320.7	254.0	127.0	159.0	127.8	182.6	358.8	91.2

■Blue (B) Threaded ends / Bored or beveled for welding

(unit: mm)

Ν	NPS Dim.	В	С	D	E	F	G	J	K	L	N	Р	Q	R	S	Т	V	W	Х	Y
	3/8、1/2	75.4	42.9	66.7	118.3	85.8	28.6	154.8	38.1	26.7	79.4	88.9	109.6	66.7	146.1	109.6	30.5	70.7	137.4	152.5
	3/4、1	98.4	63.5	92.1	161.9	127.0	41.3	204.8	57.2	41.0	106.4	114.3	155.6	92.1	198.4	155.6	46.1	100.0	192.1	219.1
	1-1/4、1-1/2	113.5	76.2	108.7	189.7	152.4	58.7	241.3	73.0	56.0	127.8	126.2	184.9	108.7	236.5	184.9	53.5	123.0	231.7	261.1
	2	145.3	87.3	155.6	232.6	174.6	74.6	290.6	95.3	74.6	145.3	146.8	242.9	155.6	300.9	242.9	65.0	155.6	311.2	330.2
	2-1/2.3	174.6	117.5	192.1	292.1	235.0	101.6	349.2	125.4	101.6	174.6	166.7	320.0	202.5	366.7	309.6	78.4	192.1	384.2	437.5
	4	193.7	127.0	231.8	320.7	254.0	127.0	387.4	159.0	127.8	193.7	182.6	358.8	231.8	425.5	358.8	91.2	231.8	463.6	485.8

^{*}Pipe schedule 40

■Stainless (SST) Threaded ends / Bored or beveled for welding

(unit: mm)

NPS	Dim.	В	С	D	E	F	G	J	K	L	N	Р	Q	S	V	W	Х	Υ
3/8、1	1/2	75.4	42.9	66.7	118.3	85.8	28.6	154.8	38.1	26.7	79.4	88.9	109.6	146.1	30.5	70.7	137.4	152.5
3/4.	٠,1	98.4	63.5	92.1	161.9	127.0	41.3	204.8	57.2	41.0	106.4	114.3	155.6	198.4	46.1	100.0	192.1	219.1
1-1/4、1	1-1/2	113.5	76.2	108.7	189.7	152.4	58.7	241.3	73.0	56.0	127.8	126.2	184.9	236.5	53.5	123.0	231.7	261.1
2		145.3	87.3	155.6	232.6	174.6	74.6	290.6	95.3	74.6	145.3	146.8	242.9	300.9	65.0	155.6	311.2	330.2

^{*}Pipe schedule 40

■Silver (S) Threaded ends / Bored or beveled for welding

(unit: mm)

NPS Dim.	В	С	D	Е	F	G	J	K	L	N	Р	Q	R	S	Т	V	W	Х	Υ
3/8、1/2	71.4	49.2	73.0	120.6	98.4	31.8	150.0	46.8	32.0	78.6	84.1	122.2	73.0	151.6	122.2	33.2	80.2	153.2	171.4
3/4、1	108.7	63.5	107.2	172.2	127.0	44.5	217.4	61.9	44.5	108.7	118.3	170.7	107.2	215.9	170.7	47.7	107.2	214.4	234.2
1-1/4、1-1/2	113.5	76.2	108.7	189.7	152.4	58.7	241.3	73.0	55.9	127.8	126.2	184.9	108.7	236.5	184.9	53.5	123.0	231.7	261.1
2	144.5	98.4	149.2	242.9	196.8	79.4	304.8	104.8	80.8	160.3	160.3	250.8	152.4	309.6	247.6	67.6	165.1	314.3	349.2
2-1/2	146.1	108.0	161.9	254.1	216.0	92.0	309.6	126.0	92.0	163.5	158.9	284.5	176.5	325.5	269.9	80.0	179.4	341.3	392.5

^{*}Pipe schedule 160

■Orange (SH) Threaded ends / Beveled for welding Sch160

(unit: mm)

13

NPS Dim.	В	С	D	Е	F	G	J	K	L	N	Р	Q	R	S	Т	V	W	Х	Υ
3/8、1/2	108.7	63.5	107.2	172.2	127.0	44.5	217.4	61.9	44.5	108.7	118.3	170.7	107.2	215.9	170.7	47.6	107.2	214.4	234.2
3/4、1	113.5	76.2	108.7	189.7	152.4	58.7	241.3	73.0	56.0	127.8	126.2	184.9	108.7	236.5	184.9	53.4	123.0	231.7	261.1
1-1/4、1-1/2	144.5	98.4	149.2	242.9	196.8	79.4	304.8	104.8	80.8	160.3	160.4	250.4	152.0	309.6	247.6	67.6	165.1	314.3	348.8
2	146.1	108.0	161.9	254.1	216.0	92.0	309.6	126.0	94.8	163.5	158.8	284.5	176.5	325.5	269.9	80.0	179.4	341.3	392.5

Flanged ends No.70 No.80 No.90 No.50 No.60

■Blue (B) Flanged ends

(unit: mm)

NPS Dim.	В	С	D	Е	F	Н	J	K	N	Р	Q	R	S	Т	V	W	Х	Υ
3/8	123.0	90.5	66.7	213.5	181.0	_	250.0	38.1	127.0	184.1	157.2	66.7	193.7	157.2	30.5	70.7	137.4	247.7
1/2	123.0	90.5	66.7	213.5	181.0	89.0	250.0	38.1	127.0	184.1	157.2	66.7	193.7	157.2	30.5	70.7	137.4	247.7
3/4	150.8	115.9	92.1	266.7	231.8	99.0	309.6	57.2	158.8	219.1	208.0	92.1	250.8	208.0	46.1	100.0	192.1	323.9
1	154.0	119.1	92.1	273.1	238.2	108.0	316.0	57.2	162.0	225.5	211.2	92.1	254.0	211.2	46.1	100.0	192.1	330.3
1-1/4	170.7	133.4	108.7	304.1	266.8	117.0	355.7	73.0	185.0	240.6	242.1	108.7	293.7	242.1	53.5	123.0	231.7	375.5
1-1/2	175.4	138.1	108.7	313.5	276.2	127.0	365.1	73.0	189.7	250.0	246.8	108.7	298.4	246.8	53.5	123.0	231.7	384.9
2	208.8	150.8	155.6	359.6	301.6	152.0	417.6	95.3	208.8	273.8	306.4	155.6	364.4	306.4	65.0	155.6	311.2	457.2
2-1/2	244.5	187.4	192.1	431.9	374.8	178.0	489.0	125.4	244.5	306.5	389.9	202.5	436.6	379.5	78.4	192.1	384.2	577.3
3	244.5	187.4	192.1	431.9	374.8	190.0	489.0	125.4	244.5	306.5	389.9	202.5	436.6	379.5	78.4	192.1	384.2	577.3
4	269.9	203.2	231.8	473.1	406.4	229.0	539.8	159.0	269.9	335.0	435.0	231.8	501.7	435.0	91.2	231.8	463.6	638.2

^{*}Pipe schedule 40

■Stainless (SST) Flanged ends

(unit: mm)

NPS Dim	В	С	D	Е	F	Н	J	K	N	Р	Q	S	٧	W	Х	Υ
3/8	123.0	90.5	66.7	213.5	181.0	_	250.0	38.1	127.0	184.1	157.2	193.7	30.5	70.7	137.4	247.7
1/2	123.0	90.5	66.7	213.5	181.0	89.0	250.0	38.1	127.0	184.1	157.2	193.7	30.5	70.7	137.4	247.7
3/4	150.8	115.9	92.1	266.7	231.8	99.0	309.6	57.2	158.8	219.1	208.0	250.8	46.1	100.0	192.1	323.9
1	154.0	119.1	92.1	273.1	238.2	108.0	316.0	57.2	162.0	225.5	211.2	254.0	46.1	100.0	192.1	330.3
1-1/4	170.7	133.4	108.7	304.1	266.8	117.0	355.7	73.0	185.0	240.6	242.1	293.7	53.5	123.0	231.7	375.5
1-1/2	175.4	138.1	108.7	313.5	276.2	127.0	365.1	73.0	189.7	250.0	246.8	298.4	53.5	123.0	231.7	384.9
2	208.8	150.8	155.6	359.6	301.6	152.0	417.6	95.3	208.8	273.8	306.4	364.4	65.0	155.6	311.2	457.2

^{*}Pipe schedule 40

■Silver (S) Flanged ends JIS21MPa

(unit: mm)

NPS Dim.	В	С	D	Е	F	Н	J	K	N	Р	Q	R	S	Т	V	W	Х	Υ
1/2	119.0	96.8	73.0	215.8	193.6	63.0	245.2	46.8	126.2	179.3	169.8	73.0	199.2	169.8	33.2	80.2	153.2	266.6
3/4	161.1	115.9	107.2	277.0	231.8	68.0	322.2	61.9	161.1	223.1	223.1	107.2	268.3	223.1	47.7	107.2	214.4	339.0
1	164.3	119.1	107.2	283.4	238.2	80.0	328.6	61.9	164.3	229.5	226.3	107.2	271.5	226.3	47.7	107.2	214.4	345.4
1-1/4	170.7	133.4	108.7	304.1	266.8	90.0	355.7	73.0	185.0	240.6	242.1	108.7	293.7	242.1	53.5	123.0	231.7	375.5
1-1/2	175.4	138.1	108.7	313.5	276.2	100.0	365.1	73.0	189.7	250.0	246.8	108.7	298.4	246.8	53.5	123.0	231.7	384.9
2	208.0	161.9	149.2	369.9	323.8	112.0	431.8	104.8	223.8	287.3	314.3	152.4	373.1	311.1	67.6	165.1	314.3	476.2
2-1/2	226.1	188.0	161.9	414.1	376.0	140.0	469.6	126.0	243.5	318.9	364.5	176.5	405.5	349.9	80.0	179.4	341.3	552.5

^{*}Pipe schedule 160

■Orange (SH) Beveled for welding Sch160

(unit: mm)

NPS Dim.	В	С	D	Е	F	Н	J	K	N	Р	Q	R	S	Т	V	W	Х	Υ
1/2	157.9	112.7	107.2	270.6	225.4	63.0	315.8	61.9	157.9	216.7	219.9	107.2	265.1	219.9	47.6	107.2	214.4	332.6
3/4	167.5	130.2	108.7	297.7	260.4	68.0	349.3	73.0	181.8	234.2	238.9	108.7	290.5	238.9	53.4	123.0	231.7	369.1
1	170.7	133.4	108.7	304.1	266.8	80.0	355.7	73.0	185.0	240.6	242.1	108.7	293.7	242.1	53.4	123.0	231.7	375.5
1-1/4	203.3	157.2	149.2	360.5	314.4	90.0	422.4	104.8	219.1	278.0	309.2	152.0	368.4	306.4	67.6	165.1	314.3	466.4
1-1/2	208.0	161.9	149.2	369.9	323.8	100.0	431.8	104.8	223.8	287.4	313.9	152.0	373.1	311.1	67.6	165.1	314.3	475.8
2	211.2	173.1	161.9	384.3	346.2	112.0	439.8	126.0	228.6	289.0	349.6	176.5	390.6	335.0	80.0	179.4	341.3	522.7


^{*}Pipe schedule 160

^{%1} For Blue(B), Silver(S) and Orange(SH), please refer "R" and "T" dimension.


^{*2 &}quot;H" dimensions of Silver and Orange show outside dimeters of JIS21MPa SHA · SHB flange. Other dimensions show that of JPI150Lb.

Beveled for Welding


































No.60











■Blue (B) Beveled for welding Sch40

(unit: mm)

NPS Dim.	В	С	D	F	G	J	K	Р	Q	S	Х	Υ
5	295.9	127.0	422.9	254.0	139.8	591.8	220.0	168.9	549.9	718.8	845.8	676.9
6	315.9	152.4	468.3	304.8	165.2	631.8	239.7	163.5	620.7	784.2	936.6	773.1
8	387.4	203.2	590.6	406.4	216.3	774.8	286.8	184.2	793.8	978.0	1181.2	997.0
10	501.7	254.0	755.7	508.0	267.4	1003.4	338.2	247.7	1009.7	1257.4	1511.4	1263.7
12	577.9	304.8	882.7	609.6	318.5	1155.8	403.2	273.1	1187.5	1460.6	1765.4	1492.3

■Stainless (SST) Beveled for welding Sch40

(unit: mm)

NPS Dim.	В	С	D	F	G	J	K	Р	Q	S	V	Х	Υ
2-1/2	213.3	63.5	276.8	127.0	76.3	426.6	130.0	149.8	340.3	490.1	70.1	553.6	403.8
3	226.0	76.2	302.2	152.4	89.1	452.0	130.0	149.8	378.4	528.2	70.1	604.4	454.6
4	254.2	101.6	355.8	203.2	114.3	508.4	155.0	152.6	457.4	610.0	83.3	711.6	559.0
5	295.9	127.0	422.9	254.0	139.8	591.8	220.0	168.9	549.9	718.8	-	845.8	676.9
6	315.9	152.4	468.3	304.8	165.2	631.8	240.0	163.5	620.7	784.2	_	936.6	773.1
8	387.4	203.2	590.6	406.4	216.3	774.8	290.0	184.2	793.8	978.0	-	1181.2	997.0
10	501.7	254.0	755.7	508.0	267.4	1003.4	338.2	247.7	1009.7	1257.4	_	1511.4	1263.7
12	577.9	304.8	882.7	609.6	318.5	1155.8	403.2	273.1	1187.5	1460.6	_	1765.4	1492.3

■Type N (N) Beveled for welding Sch40

(unit: mm)

NPS Dim.	В	С	D	F	G	J	K	Р	Q	S	V	Х	Υ
2-1/2	213.3	63.5	276.8	127.0	76.3	426.6	128.0	149.8	340.3	490.1	70.1	553.6	403.8
3	226.0	76.2	302.2	152.4	89.1	452.0	128.0	149.8	378.4	528.2	70.1	604.4	454.6
4	254.2	101.6	355.8	203.2	114.3	508.4	155.0	152.6	457.4	610.0	83.3	711.6	559.0
6	295.7	152.4	448.1	304.8	165.2	591.4	216.0	143.3	600.5	743.8	109.8	896.2	752.9
8	346.5	203.2	549.7	406.4	216.3	693.0	265.0	143.3	752.9	896.2	133.7	1099.4	956.1
10	436.9	254.0	690.9	508.0	267.4	873.8	320.0	182.9	944.9	1127.8	165.2	1381.8	1198.9
12	487.7	304.8	792.5	609.6	318.5	975.4	372.0	182.9	1097.3	1280.2	190.4	1585.0	1402.1

■Type SN (SN) Beveled for welding Sch160

(unit: mm)

NPS Dim.	В	С	D	F	G	J	K	Р	Q	S	V	Х	Υ
3	230.7	76.2	306.9	152.4	89.1	461.4	160.0	154.5	383.1	537.6	89.7	613.8	459.3
4	267.6	101.6	369.2	203.2	114.3	535.2	195.0	166.0	470.8	636.8	106.8	738.4	572.4

■Orange (SH) Beveled for welding Sch160

(unit: mm)

17

NPS Dim.	В	С	D	Е	F	G	J	K	Р	Q	S	V	Х	Υ
2-1/2	256.0	63.5	321.1	319.5	127.0	76.3	512.0	160.0	190.9	384.6	577.1	90.7	642.2	448.1
3	268.7	76.2	346.5	344.9	152.4	89.1	537.4	160.0	190.9	422.7	615.2	89.7	693.0	498.9
4	320.3	101.6	423.5	421.9	203.2	114.3	640.6	195.0	217.1	525.1	743.8	100.0	847.0	626.7
5	353.9	127.0	482.5	480.9	254.0	139.8	707.8	230.0	225.3	609.5	836.4	124.6	965.0	736.5

^{*1} For Orange(SH), please refer "E" dimension.

^{*2} The shapes of Type SN are different from the above.

Flanged Ends No.30 No.80 No.40 No.90 No.50 No.10 No.60

- %1 For BD ⋅ BDR, please refer "Z" dimension.
- *2 The shapes of Type SN are different from the above.
- *3 "H (Z)" dimensions of Silver, SN and Orange show outside dimeters of JIS21MPa SHA · SHB flange. Other dimensions as how that of JPI150Lb.

■Blue (B) Flanged ends

unit: mm)

NPS Dir	n. B	С	D	E	F	Н	J	K	Р	Q	S	Х	Y
5	384.8	215.9	422.9	600.7	431.8	254.0	769.6	220.0	346.7	638.8	807.7	845.8	854.7
6	404.8	241.3	468.3	646.1	482.6	279.0	809.6	239.7	341.3	709.6	873.1	936.6	950.9
8	489.0	304.8	590.6	793.8	609.6	343.0	978.0	286.8	387.4	895.4	1079.6	1181.2	1200.2
10	603.3	355.6	755.7	958.9	711.2	406.0	1206.6	338.2	450.9	1111.3	1359.0	1511.4	1466.9
12	692.2	419.1	882.7	1111.3	838.2	483.0	1384.4	403.2	501.7	1301.8	1574.9	1765.4	1720.9

^{*}Pipe schedule 40

■Stainless (SST) Flanged ends

(unit: mm)

NPS Dim.	В	С	D	Е	F	Н	J	K	Р	Q	S	V	Х	Υ
2-1/2	283.2	133.4	276.8	416.6	266.8	178.0	566.4	130.0	289.6	410.2	560.0	70.1	553.6	543.6
3	295.9	146.1	302.2	442.0	292.2	190.0	591.8	130.0	289.6	448.3	598.1	70.1	604.4	594.4
4	330.4	177.8	355.8	508.2	355.6	229.0	660.8	155.0	305.0	533.6	686.2	83.3	711.6	711.4
5	384.8	215.9	422.9	600.7	431.8	254.0	769.6	220.0	346.7	638.8	807.7	-	845.8	854.7
6	404.8	241.3	468.3	646.1	482.6	279.0	809.6	240.0	341.3	709.6	873.1	-	936.6	950.9
8	489.0	304.8	590.6	793.8	609.6	343.0	978.0	290.0	387.4	895.4	1079.6	-	1181.2	1200.2
10	603.3	355.6	755.7	958.9	711.2	406.0	1206.6	338.2	450.9	1111.3	1359.0	_	1511.4	1466.9
12	692.2	419.1	882.7	1111.3	838.2	483.0	1384.4	403.2	501.7	1301.8	1574.9	_	1765.4	1720.9

^{*}Pipe schedule 40

■TypeN (N) Flanged ends

■BD · BDR Flanged ends

C D

(unit: mm)

(unit: mm)

19

NPS Dim.	В	С	D	Е	F	Н	J	K	Р	Q	S	V	Х	Υ
2-1/2	283.2	133.4	276.8	416.6	266.8	178.0	566.4	128.0	289.6	410.2	560.0	70.1	553.6	543.6
3	295.9	146.1	302.2	442.0	292.2	190.0	591.8	128.0	289.6	448.3	598.1	70.1	604.4	594.4
4	330.4	177.8	355.8	508.2	355.6	229.0	660.8	155.0	305.0	533.6	686.2	83.3	711.6	711.4
6	384.6	241.3	448.1	625.9	482.6	279.0	769.2	216.0	321.1	689.4	832.7	109.8	896.2	930.7
8	448.1	304.8	549.7	752.9	609.6	343.0	896.2	265.0	346.5	854.5	997.8	133.7	1099.4	1159.3
10	538.5	355.6	690.9	894.1	711.2	406.0	1077.0	320.0	386.1	1046.5	1229.4	165.2	1381.8	1402.1
12	602.0	419.1	792.5	1021.1	838.2	483.0	1204.0	372.0	411.5	1211.6	1394.5	190.4	1585.0	1630.7

^{*}Pipe schedule 40

2-1/2

4

10

12

*Pipe schedule 40

(unit: mm)

■BD · BDR Different size flanged ends

(Style No.30)

NPS Dim. С Κ Z Н 133.4 178.0 130.0 190.0 3×2-1/2 283.2 295.9 146.1 190.0 130.0 229.0 4×3 177.8 229.0 155.0 330.4 279.0 6×4 404.8 241.3 279.0 240.0 343.0 8×6 10×8 489.0 304.8 343.0 295.0 406.0 603.3 406.0 344.0 483.0 12×10 355.6 692.2 483.0 403.0 14×12 419.1 535.0

283.2 | 133.4 | 276.8 | 266.8 | 178.0 | 130.0 | 289.6 | 77.1 | 178.0

295.9 | 146.1 | 302.2 | 292.2 | 190.0 | 130.0 | 289.6 | 77.1 | 190.0

330.4 | 177.8 | 355.8 | 355.6 | 229.0 | 155.0 | 305.0 | 90.3 | 229.0

404.8 241.3 468.3 482.6 279.0 240.0 341.3 130.8 279.0

489.0 | 304.8 | 590.6 | 609.6 | 343.0 | 295.0 | 387.4 | 157.0 | 343.0

603.3 355.6 755.7 711.2 406.0 344.0 450.9 182.6 406.0

692.2 419.1 882.7 838.2 483.0 403.0 501.7 212.0 483.0

■Type SN (SN) Flanged ends JIS21MPa

(unit: mm)

*Pipe schedule 40

NPS Dim.	В	С	D	Е	F	Н	J	Р	Q	S	V	Х	Υ
3	315.7	161.2	306.9	476.9	322.4	155.0	631.4	324.5	468.1	622.6	106.8	613.8	629.3

^{\$}NPS 4 flanges are out of JIS standards, but available upon request. \$Pipe schedule 160


■Orange (SH) Flanged ends JIS21MPa

(unit: mm)


Ī	NPS Dim.	В	С	D	Е	F	Н	J	K	Р	Q	S	V	Х	Υ
	2-1/2	337.6	145.1	321.1	482.7	290.2	140.0	675.2	160.0	354.1	466.2	658.7	90.7	642.2	611.3
	3	355.3	162.8	346.5	518.1	325.6	155.0	710.6	160.0	364.1	509.3	701.8	89.7	693.0	672.1

 $[\]ensuremath{\mbox{\$NPS}}$ 4 & 5 flanges are out of JIS standards, but available upon request.

^{*}Pipe schedule 160



■NPB B	evele	ed fo	r we	lding	g Scl	ո160	(ur	nit : mm)
NPS Dim.	Α	В	С	D	Е	F	G	Н
3	112.0	105.0	188.2	76.2	217.0	103.0	89.1	166.0
4	130.0	130.0	231.6	101.6	260.0	120.0	114.3	218.0
5	177.0	153.0	304.0	127.0	330.0	162.0	139.8	247.0



■Sanita ₁	Sanitary (unit: mm)										
NPS Dim.	Α	В	С	D	Е	F	G				
18	87.0	46.0	23.0	101.5	55.0	116.0	112.5				
1-1/2S	92.5	51.5	35.7	122.0	70.0	151.5	134.5				
2S	92.5	51.5	47.8	134.0	82.0	175.5	148.5				
2-1/2S	105.5	64.5	59.5	170.0	105.0	234.5	146.0				
3\$	105.5	64.5	72.3	175.0	110.0	244.5	159.5				
48	111.5	70.5	97.6	224.4	160.0	337.3	198.0				

WEIGHTS LIST

■Green (G) Threaded ends

NPS Style#	20	30	40	50	60	70
3/8	0.4	0.5	0.6	0.8	0.7	0.9
1/2	0.4	0.5	0.5	0.8	0.7	0.8
3/4	1.1	1.3	1.5	2.1	1.9	2.3
1	0.9	1.2	1.4	1.9	1.7	2.1
1-1/4	1.8	2.4	2.9	3.6	3.2	4.1
1-1/2	1.5	2.2	2.6	3.4	3.0	3.8
2	3.1	4.1	5.1	7.2	6.2	8.1
2-1/2	6.1	8.0	10.0	13.0	11.1	15.0
3	4.8	6.8	8.9	11.7	9.6	13.8
4	6.9	9.6	12.6	17.0	14.1	20.0

■Blue (B) Threaded ends / Bored or beveled for welding

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
3/8	0.5	0.5	0.6	0.9	0.8	1.0	1.2	1.3	1.1
1/2	0.4	0.4	0.6	0.9	0.7	1.0	1.2	1.3	1.0
3/4	1.2	1.5	1.8	2.3	2.0	2.7	3.3	3.6	2.9
1	1.0	1.2	1.5	2.1	1.8	2.4	3.0	3.4	2.7
1-1/4	1.9	2.4	3.1	4.2	3.5	4.9	6.0	6.7	5.3
1-1/2	1.7	2.1	2.8	3.9	3.2	4.5	5.7	6.3	5.0
2	3.4	4.8	6.0	8.0	6.8	9.3	11.5	12.8	10.3
2-1/2	7.0	12.2	18.2	20.7	14.7	26.6	28.9	34.9	23.0
3	5.6	9.4	13.9	17.7	13.2	22.1	25.9	30.4	21.5
4	7.6	10.7	14.4	19.5	15.8	23.3	28.7	32.4	24.9

■Blue (B) Flanged ends JPI150Lb

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
1/2	1.4	1.4	1.6	1.9	1.7	2.0	2.2	2.3	2.0
3/4	2.6	2.9	3.2	3.7	3.4	4.1	4.7	5.0	4.3
1	3.2	3.5	3.8	4.3	4.0	4.7	5.3	5.6	5.0
1-1/4	4.8	5.3	6.0	7.1	6.4	7.8	8.9	9.6	8.2
1-1/2	5.4	6.0	6.6	7.7	7.0	8.3	9.5	10.1	8.8
2	8.4	9.9	11.2	13.2	11.9	14.5	16.7	18.0	15.4
2-1/2	15.0	20.2	25.8	28.7	23.1	34.4	37.0	42.7	31.4
3	15.9	19.9	24.2	27.9	23.5	32.2	36.2	40.5	31.8
4	21.8	25.0	28.7	33.8	30.1	37.4	42.9	46.6	39.2
5	38.1	42.4	46.7	67.1	62.8	71.4	91.8	96.1	87.5
6	43.1	49.7	56.3	77.6	71.0	84.2	105.5	112.1	98.9
8	66.4	79.8	93.2	123.8	110.4	137.2	167.8	181.2	154.4
10	100.9	124.5	148.1	199.0	175.4	222.6	273.5	297.1	249.9
12	154.7	192.2	229.7	307.0	269.5	344.5	421.8	459.3	384.3

■Blue (B) Beveled for welding Sch40

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
5	20.4	24.7	29.0	49.4	45.1	53.7	74.1	78.4	69.8
6	21.3	27.9	34.5	55.8	49.2	62.4	83.7	90.3	77.1
8	30.6	44.0	57.4	88.0	74.6	101.4	132.0	145.4	118.6
10	50.9	74.5	98.1	149.0	125.4	172.6	223.5	247.1	199.9
12	77.3	114.8	152.3	229.6	192.1	267.1	344.4	381.9	306.9

■Stainless (SST) Threaded ends / Bored or beveled for welding

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
3/8	0.4	0.5	0.6	0.8	0.7	1.0	1.2	1.3	1.0
1/2	0.4	0.5	0.6	0.8	0.7	0.9	1.1	1.2	1.0
3/4	1.2	1.5	1.8	2.5	2.2	2.9	3.5	3.9	3.1
1	1.0	1.3	1.6	2.4	2.0	2.7	3.3	3.7	3.0
1-1/4	2.0	2.6	3.3	4.3	3.6	5.1	6.1	6.8	5.3
1-1/2	1.7	2.4	3.0	4.0	3.4	4.7	5.8	6.4	5.1
2	3.5	4.7	6.1	8.4	7.0	9.8	11.9	13.3	10.5

*The above is the case for Threaded ends

■Stainless (SST) Beveled for welding Sch40

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
2-1/2	6.4	7.3	8.2	14.6	13.7	15.6	22.0	22.9	21.0
3	5.5	6.9	8.2	13.7	12.4	15.1	20.6	22.0	19.2
4	7.1	9.7	12.3	19.4	16.8	22.0	29.1	31.7	26.5
5	20.7	25.1	29.4	50.1	45.8	54.5	75.2	79.5	70.8
6	22.7	29.4	36.1	58.8	52.1	65.5	88.2	94.9	81.5
8	31.2	44.8	58.3	89.5	76.0	103.1	134.3	147.8	120.7
10	51.7	75.5	99.3	151.0	127.2	174.8	226.5	250.3	202.7
12	78.6	116.5	154.4	233.0	195.1	270.9	349.5	387.4	311.6

■Stainless (SST) Flanged ends JPI150

			_						
NPS Style#	20	30	40	50	60	70	80	90	10
1/2	1.4	1.5	1.6	1.8	1.7	1.9	2.1	2.2	2.0
3/4	2.6	2.9	3.2	3.9	3.6	4.3	4.9	5.3	4.5
1	3.3	3.5	3.8	4.6	4.2	4.9	5.6	5.9	5.2
1-1/4	4.9	5.3	6.0	7.2	6.5	7.9	8.9	9.6	8.2
1-1/2	5.5	6.1	6.8	7.9	7.1	8.6	9.6	10.3	8.8
2	8.6	10.0	11.4	13.5	12.2	14.8	17.0	18.3	15.7
2-1/2	14.6	15.6	16.5	22.9	22.0	23.8	30.2	31.1	29.3
3	15.5	16.8	18.2	23.7	22.3	25.1	30.6	31.9	29.2
4	21.2	23.8	26.3	33.4	30.9	36.0	43.1	45.7	40.5
5	38.5	42.9	47.3	68.0	63.6	72.3	93.0	97.4	88.7
6	44.7	51.4	58.1	80.8	74.1	87.5	110.2	116.9	103.5
8	67.4	80.9	94.5	125.7	112.1	139.2	170.4	184.0	156.9
10	102.2	126.0	149.8	201.5	177.7	225.3	277.0	300.8	253.2
12	156.8	194.7	232.6	311.2	273.3	349.1	427.7	465.6	389.8

■Type N (N) Flanged ends JPI150Lb

N	(N)	Fian	gea	enas	SJPI	1501	_D	(un	it : kg)	!
e# 	20	30	40	50	60	70	80	90	10	NPS
	14.5	15.4	16.3	22.6	21.7	23.5	29.8	30.7	28.9	2
	15.2	16.5	17.9	23.2	21.8	24.5	29.8	31.2	28.5	
	20.7	23.3	25.8	32.6	30.1	35.2	42.0	44.6	39.4	
	37.0	43.6	50.3	65.5	58.8	72.1	87.3	93.9	80.7	
	55.9	69.3	82.7	102.8	89.4	116.2	136.3	149.7	122.9	
	83.8	107.4	131.0	164.8	141.2	188.4	222.2	245.8	198.6	
	121.6	159.1	196.6	240.8	203.3	278.3	322.5	360.0	185.0	

■Type N (N) Beveled for welding Sch40 (unit : kg)

NPS Style#	20	30	40	50	60	70	80	90	10
2-1/2	6.3	7.2	8.1	14.4	13.5	15.3	21.6	22.5	20.7
3	5.3	6.7	8.0	13.3	12.0	14.7	20.0	21.3	18.6
4	6.8	9.4	11.9	18.7	16.2	21.3	28.1	30.6	25.5
6	15.2	21.8	28.5	43.7	37.0	50.3	65.5	72.1	58.9
8	20.1	33.5	46.9	67.0	53.6	80.4	100.5	113.9	87.1
10	33.8	57.4	81.0	114.8	91.2	138.4	172.2	195.8	148.6
12	44.2	81.7	119.2	163.4	125.9	200.9	245.1	282.6	207.6

■BDR Flanged ends JPI150Lb

(unit: kg)

	_				
NPS Style#	20	30	40	NPS Style#	30 異径
2-1/2	15.1	16.0	16.9	3×2-1/2	16.9
3	16.2	17.6	19.0	4×3	18.6
4	22.0	24.6	27.2	6×4	26.9
6	45.6	52.2	58.9	8×6	56.0
8	72.4	85.8	99.2	10×8	88.1
10	106.5	130.1	153.7	12×10	136.7
12	158.1	195.6	233.1	14×12	193.3

■BD Flanged ends JPI150Lb

(unit: kg)

NPS Style#	20	30	40	NPS Style# 30 異径
2-1/2	14.8	15.7	17.5	3×2-1/2 16.8
3	16.6	17.9	20.6	4×3 20.3
4	22.0	24.5	29.6	6×4 28.4
6	44.5	51.0	64.1	8×6 58.3
8	68.0	81.3	107.8	10×8 88.9
10	107.0	130.3	177.0	12×10 141.3
12	155.2	192.2	266.3	14×12 199.7

■Silver (S) Threaded ends / Bored or beveled for welding

					•9			(
NPS Style#	20	30	40	50	60	70	80	90	10
3/8	0.6	0.8	1.0	1.3	1.1	1.5	1.9	2.1	1.7
1/2	0.6	0.7	0.9	1.3	1.1	1.5	1.8	2.0	1.6
3/4	1.4	1.8	2.2	3.1	2.7	3.4	4.3	4.6	3.9
1	1.3	1.6	2.0	2.9	2.5	3.2	4.1	4.4	3.8
1-1/4	1.9	2.4	3.1	4.2	3.5	4.9	6.0	6.7	5.3
1-1/2	1.7	2.1	2.8	3.9	3.2	4.5	5.7	6.3	5.0
2	4.8	6.4	8.3	11.1	9.2	13.0	16.4	18.3	14.5
2-1/2	6.2	8.6	12.2	16.0	12.4	19.6	24.2	27.8	20.6

^{*}The above is the case for Threaded ends

(unit : kg) Silver (S) Flanged ends SHA/SHB

(unit: kg)

23

		_							
NPS Style#	20	30	40	50	60	70	80	90	10
1/2	1.9	2.0	2.2	2.6	2.4	2.8	3.1	3.3	2.9
3/4	3.0	3.4	3.8	4.7	4.3	5.0	5.9	6.2	5.5
1	4.0	4.3	4.7	5.5	5.2	5.9	6.8	7.1	6.4
1-1/4	5.4	5.9	6.5	7.6	6.9	8.2	9.4	10.0	8.7
1-1/2	6.6	7.2	7.8	8.9	8.3	9.5	10.7	11.3	10.1
2	11.1	12.9	15.0	17.5	15.4	19.6	22.8	24.9	20.7
2-1/2	18.2	21.4	25.7	28.8	24.5	33.0	37.0	41.2	32.7

■Type SN (SN) Beveled for welding Sch160 (unit : kg)

NPS Style#	20	30	40	50	60	70	80	90	10
3	11.2	13.8	16.4	27.6	25.0	30.1	41.3	43.9	38.8
4	18.4	23.8	29.2	47.6	42.2	52.9	71.3	76.7	66.0

■Type SN (SN) Flanged ends SHA/SHB (unit : kg)

NPS Style# 20 30 40 50 60 70 80 90 10 25.6 28.2 30.8 42.0 39.4 44.5 55.7 58.3 53.2

25

WEIGHTS LIST

■Orange (SH) Threaded ends / Beveled for welding Sch160

(unit: kg)

(unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
3/8	1.7	2.3	2.8	3.7	3.2	4.2	5.2	5.7	4.8
1/2	1.7	2.3	2.7	3.7	3.2	4.2	5.2	5.7	4.7
3/4	2.3	3.6	4.5	5.6	4.6	6.6	7.9	8.9	6.9
1	2.6	3.5	4.4	5.5	4.5	6.5	7.8	8.8	6.8
1-1/4	6.6	8.8	11.5	14.6	11.9	17.2	21.4	24.1	18.8
1-1/2	6.5	8.6	11.3	14.4	11.7	17.1	21.3	24.0	18.6
2	8.7	12.6	18.6	23.2	17.2	29.3	34.1	40.2	28.1

*The above is the case for Threaded Ends

*NPS 3/4B : Sch80

3

4

■Orange (SH) Flanged ends SHA/SHB (unit: kg)

NPS Style#	20	30	40	50	60	70	80	90	10
1/2	3.0	3.5	4.0	4.9	4.5	5.4	6.5	6.9	6.0
3/4	4.1	5.1	6.0	7.1	6.2	8.1	9.4	10.4	8.5
1	5.0	5.9	6.9	8.0	7.0	8.9	10.3	11.2	9.3
1-1/4	9.8	12.1	14.9	17.9	15.1	20.6	24.7	27.5	22.0
1-1/2	10.9	13.1	15.8	18.9	16.2	21.5	25.7	28.4	23.0
2	15.0	18.8	24.9	29.5	23.4	35.6	40.4	46.5	34.3

■Orange (SH) Beveled for welding Sch160 (unit : kg)

NPS Style#	20	30	40	50	60	70	80	90	10
2-1/2	15.8	17.4	18.9	34.7	33.2	36.3	52.1	53.6	50.5
3	16.3	18.9	21.4	37.7	35.2	40.3	56.6	59.1	54.0
4	29.0	34.4	39.7	68.7	63.4	74.1	103.1	108.4	97.7
5	39.7	49.4	59.1	98.8	89.1	108.5	148.2	157.9	138.5

*The above is the case for Short elbow types

■Orange (SH) Flanged ends SHA/SHB (unit : kg)

NPS Style#	20	30	40	50	60	70	80	90	10
2-1/2	27.5	29.0	30.6	46.4	44.8	47.9	63.7	65.3	62.2
3	30.7	33.3	35.8	52.1	49.6	54.7	71.0	73.6	68.4

*The above is the case for Short elbow types

■NSB Beveled for welding Sch160

Style#	20	40	50	70	80	90
-1/4	7.8	8.2	15.6	16.0	23.4	23.8
-1/2	8.0	8.7	16.0	16.7	24.0	24.7
2	17.9	18.8	35.8	36.7	53.7	54.6
2-1/2	31.0	32.6	62.0	63.6	93.0	94.6

40.0 42.6 80.0 82.6 120.0 122.6

66.9 72.3 133.8 139.2 200.7 206.1

■NSB Flanged ends SHA/SHB

NPS Style#	20	40	50	70	80	90
1-1/4	11.0	11.4	18.8	19.2	26.6	27.0
1-1/2	12.6	13.3	20.6	21.3	28.6	29.3
2	24.0	24.9	41.9	42.8	59.8	60.7
2-1/2	42.7	44.2	73.7	75.2	104.7	106.2

54.4 57.0 94.4 97.0 134.4 137.0

(unit: kg)

(unit: kg)

■NPB Beveled for welding Sch160 (unit : kg)

NPS Style#	30	40
3	20.4	23.0
4	37.1	42.5
5	70.7	80.3

■Sanitary

-			
NPS Style#	20	30	40
18	0.7	0.8	0.9
1-1/2S	0.8	1.0	1.1
28	1.1	1.4	1.6
2-1/2S	1.7	2.2	2.6
38	2.0	2.5	3.0
4S	3.6	4.6	5.6

REPLACEMENT PARTS LIST

Replacement parts vary depending on the model. Kindly refer to the details provided below for more information."

■Green (G)

Nia	DESCRIPTION	MATERIAL	AMOUNT (Per unit)							
No	DESCRIPTION	MATERIAL	3% & 1⁄2	34&1	1-1/4&1-1/2	2	2-1/2&3	4		
1	Grease Retainer Ring	*NBR	1	1	1	1	1	1		
2	O Ring	*NBR	1	1	1	1	1	1		
3	Dust Cap	NBR	-	1	1	1	1	1		
4	Grease Nipple	Nickel Plating C3604	1	1	1	1	1	1		
5	Steel Ball	SUJ2	34	40	54	48	66	84		
6	Ball Retainer Plug	SS400	1	1	1	1	1	1		
7	Packing	*NBR	1	1	1	1	1	1		

■Blue (B)

NI-	DECODIDATION	MATERIAL	AMOUNT (Per unit)										
No	DESCRIPTION	MATERIAL	3/8 & 1/2	34&1	1-1/4&1-1/2	2	2-1/2&3	4	5	6	8	10	12
1	Grease Retainer Ring	*NBR	1	1	1	1	1	1	1	1	1	1	1
2	O Ring	*NBR	1	1	1	1	1	1	-	-	-	-	-
3	Dust Cap	NBR	-	1	1	1	1	1	-	-	-	-	-
4	Grease Nipple	Nickel Plating C3604	1	1	1	1	1	1	2	2	2	2	2
5	Steel Ball	SUJ2	34	40	54	48	66	84	68	76	96	116	140
6	Poll Potoiner Plus	SS400	1	1	1	1	1	1	-	-	-	-	-
0	Ball Retainer Plug	NBR	-	-	-	-	-	-	2	2	2	2	2
7	Packing	*NBR	1	1	1	1	1	1	1	1	1	1	1
8	Snap Ring	SUS304	-	-	-	-	-	-	2	2	2	2	2

■Stainless (SST)

No	DESCRIPTION	MATERIAL					AMOL	JNT (Per	unit)				
INO	DESCRIPTION	IVIAI ERIAL	3/8 & 1/2	34&1	1-1/4&1-1/2	2	2-1/2&3	4	5	6	8	10	12
1	Grease Retainer Ring	*NBR	1	1	1	1	1	1	1	1	1	1	1
2	O Ring	*NBR	1	1	1	1	2	2	-	-	-	-	-
3	Dust Cap	NBR	-	1	1	1	-	-	-	-	-	-	-
4	Grease Nipple	Nickel Plating C3604	1	1	1	1	1	1	2	2	2	2	2
5	Stainless Ball	SUS440C	34	40	54	48	66	84	68	76	96	116	140
6	Poll Poteiner Plus	SUS316	1	1	1	1	2	2	-	-	-	-	-
0	Ball Retainer Plug	NBR	-	-	-	-	-	-	2	2	2	2	2
7	Packing	*NBR	1	1	1	1	1	1	1	1	1	1	1
8	Ball Plug Washer	SUS316	-	-	-	-	2	2	-	-	-	-	-
9	Snap Ring	SUS304	-	-	-	-	1	•	2	2	2	2	2

*Material is dependent on the type of fluid and temperature.

REPLACEMENT PARTS LIST

■Type N (N)

Nia	DESCRIPTION	MATERIAL			AMOUNT	(Per unit)		
No	DESCRIPTION	MATERIAL	2-1/2&3	4	6	8	10	12
1	Grease Retainer Ring	*NBR	1	1	1	1	1	1
2	O Ring	*NBR	2	2	2	2	-	-
3	Crosse Ninnle	Nickel Plating C3604	1	1	-	-	-	-
3	3 Grease Nipple	C3604	-	-	2	2	2	2
4	Steel Ball	SUJ2	66	84	118	150	186	218
5	Ball Retainer Plug	SS400	2	2	2	2	2	2
6	Packing	*NBR	1	1	1	1	1	1
7	Ball Plug Washer	SS400	2	2	2	2	-	-
8	Seal Washer	SPCC-NBR	-	-	-	-	2	2

■Silver (S)

No	DESCRIPTION	MATERIAL	AMOUNT (Per unit)							
INO	DESCRIPTION	MATERIAL	3% & 1⁄2	34&1	1-1/4&1-1/2	2	2-1/2			
1	Grease Retainer Ring	*NBR	1	1	1	1	1			
2	O Ring	*NBR	1	1	1	1	1			
3	Dust Cap	NBR	-	1	1	1	1			
4	Grease Nipple	Nickel Plating C3604	1	1	1	1	1			
5	Steel Ball	SUJ2	42	42	54	52	62			
6	Ball Retainer Plug	SS400	1	1	1	1	1			
7	Packing	*NBR	1	1	1	1	1			
8	Cotter Pin	SUS304	-	1	1	1	1			

■Type SN (SN)

NI-	DECODIDATION	MATERIAL	AMOUNT	(Per unit)
No	DESCRIPTION	MATERIAL	3	4
1	Grease Retainer Ring	*NBR	1	1
2	Steel Ball	SUJ2	56	56
3	Ball Retainer Plug	SS400	2	2
4	Packing	*NBR	1	1
5	O Ring	*NBR	2	2
6	Grease Nipple	Nickel Plating C3604	1	1
7	Wire	SUS304-W1	1	1

■Orange (SH)

NI-	DECODIDEION	MATERIAL	AMOUNT (Per unit)							
No	DESCRIPTION	MATERIAL	3/8&1/2	3/4&1	1-1/4&1-1/2	2	2-1/2&3	4	5	
1	Grease Retainer Ring	*NBR	1	1	1	1	1	1	1	
2	O Ring	*NBR	1	1	1	1	3	3	3	
3	Dust Cap	NBR	1	1	1	1	-	-	-	
4	Grease Nipple	Nickel Plating C3604	1	1	1	1	-	-	-	
-	Grease Nipple	C3604	-	-	-	-	2	2	2	
5	Steel Ball	SUJ2	42	54	52	62	84	84	102	
6	Ball Retainer Plug	SS400	1	1	1	1	3	3	3	
7	Packing	*NBR	1	1	1	1	1	1	1	
8	Cotter Pin	SUS304	1	1	1	1	-	-	-	
9	Wire	SUS304-W1	-	-	-	-	1	1	1	

■BD(Double seal type)

NI-	DECODIDEION	MATERIAL			AMOUNT	(per unit)		
No	DESCRIPTION	MATERIAL	2-1/2&3	4	6	8	10	12
1	X Ring (External)	FPM	1	1	1	1	1	1
2	X Ring (Internal)	*NBR	1	1	1	1	1	1
3	Steel Ball	SUJ2	66	84	76	96	116	140
4	Packing (HHS)	FPM	1	1	1	1	1	1
5	Ball Retainer Plug	MFZnⅢ-C SS400	2	2	2	2	2	2
6	O Ring	FPM	2	2	2	2	2	2
7	Ball Plug Washer	MFZnII-C SS400	2	2	-	-	-	-
8	Grease Fitting Plug	SUS316	2	2	2	2	2	2
9	Sheet Packing	PTFE	2	2	2	2	2	2
10	Wire	SUS304-W1	1	1	1	1	1	1

■BDR

No	DESCRIPTION	MATERIAL	AMOUNT (per unit)							
INO	DESCRIPTION	IVIATERIAL	2-1/2&3	4	6	8	10	12		
1	Packing (Internal Pressure Firstly Seal)	FPM	1	1	1	1	1	1		
2	X Ring (Internal Pressure Secondary Seal)	*NBR	1	1	1	1	1	1		
3	X Ring (External Pressure Firstly Seal)	FPM	1	1	1	1	1	1		
4	X Ring (External Pressure Secondary Seal)	*NBR	1	1	1	1	1	1		
5	Steel Ball	SUJ2	66	84	76	96	116	140		
6	Ball Retainer Plug	MFZnⅢ-C SS400	2	2	2	2	2	2		
7	O Ring	FPM	2	2	2	2	2	2		
8	Ball Plug Washer	MFZnII-C SS400	2	2	-	-	-	-		
9	Square Plug	SUS304	2	2	2	2	2	2		
10	Wire	SUS304-W1	1	1	1	1	1	1		

■NSB

No	DESCRIPTION	MATERIAL	AMOUNT (per unit)
1	Locking	SS400	1
2	Relief Fitting	Nickel Plating C3604	5
3	Grease Nipple	C3604	2
4	Hexagon Head Bolt	SS400	8
5	Cover	S25C/SS400	1
6	Back Up Ring	SPC-PTFE	2
7	O Ring (Dust Seal)	*NBR	1
8	O Ring (Secondary Seal)	*NBR	2
9	Buffer Ring	*SPC-PTFE NBR	2
10	Washer	SS400	1
11	Nut	SS400	1
12	Bearing	SUJ	1
13	Bearing	SUJ	1

■NPB

1 Relief Fitting Nickel Plating C3604 2 2 Grease Nipple C3604 2 3 Locking SS400 1 4 Hexagon Head Bolt SS400 4 5 Back Up Ring SPC-PTFE 2 6 O Ring (Dust Seal) **NBR 1 7 O Ring (Dust Seal) **NBR 1	UNT (per unit
3 Locking SS400 1 4 Hexagon Head Bolt SS400 4 5 Back Up Ring SPC-PTFE 2 6 O Ring (Dust Seal) **NBR 1	2
4 Hexagon Head Bolt SS400 4 5 Back Up Ring SPC-PTFE 2 6 O Ring (Dust Seal) **NBR 1	2
5 Back Up Ring SPC-PTFE 2 6 O Ring (Dust Seal) **NBR 1	1
6 O Ring (Dust Seal) *NBR 1	4
o comig (coordan)	2
7 O Ring (Dust Seal) *NBR 1	1
] 3	1
8 O Ring (Main Seal)	2
9 Retainer S45C 1	1
10 Bearing SUJ 1	1
11 Bearing SUJ 1	1

27

 $[\]fint \fint \fin$


PACKING UNITS

NO	MAIN APPLICABLE FLUID	c	CODE
1	Crude oil	-10~+60	55
•	Ordae on	+61~+120	НН
2	Gasoline	-10~+60	55
3	Jet fuel (JET-A1, JP4, JP5)	-10~+60	55
4	Naphtha	-10~+60	55
5	Bunker A	-10~+60	55
6	Bunker B, C	-10~+80	00
7	Diesel (Gas oil)	-10~+60	55
8	Kerosene	-10~+60	55
9	Lubricating oil	-10~+80	00
10	Hydraulic oil (Ester phosphate)	-7~+125	НН
11	Hydraulic oil (Water)	-10~+80	00
12	Hydraulic oil (Petro)	-10~+80	00
13	Distilled water	0~+80	00
14	Industrial water	0~+80	00
15	Sea water	0~+100	НН
16	Drilling mud	~+80	00
17	Steam	+100~+200	AD
18	Air (Compressed air)	-10~+80	00
19	Oxygen (Gas, Max.2.94MPa)	-10~+80	00
20	Nitrogen (Gas)	-10~+80	00
21	Natural gas	-10~+71	00
22	Carbon dioxide (CO₂)	-10~+60	55
23	Liquefied petroleum gas (LPG)	-10~+60	55
24	Ethyl alcohol (Ethanol)	-29~+76	AD
25	Methyl alcohol (Methanol)	-29~+62	AD.6X
26	Sulfuric acid (80 ~ 120%)	0~+37	НН
27	Sodium hydroxide (Caustic soda, $0 \sim 73\%$)	0~+60	55
28	Ammonia (Anhydrous)	-29~+60	6X

INTERNAL PRESSURE & SWIVEL TORQUE

The following torque curves can be used for estimating various size of Niigata swivel joints at different pressure ratings for normal applications.

When torque is critical, consult our sales representatives.



LUBRICANTS (GREASE)

SERVICE	GREACE	RAMARK
For low pressure	Multi-purpose type	+15℃~+80℃
For high pressure	Extreme pressure multi-purpose type	+15℃~+80℃
For high tomporature	Resist high temperature type	+80°C∼+175°C
For high temperature	Resist high temperature type (Zolvest240)	+176°C∼
For low temperature	Silicon	~-14℃
For EPT	Silicon	for 6X Packing


^{**}Other types of grease are available for chemical, oxygen, or food service etc.

Earthquake isolation system [Willow]

Swivel joint Assembly "Willow"

It follows sudden earthquake tremors and protects important lifelines.






What is Earthquake isolation system?

The seismic isolation method combines laminated rubber and PTFE plates to absorb shaking during earthquakes It effectively handles large relative displacements and prevents damage to equipment and piping.

It effectively handles large relative displacements and prevents damage to equipment and piping.

Willow can be installed in both base isolation and intermediate floor isolation structures.

■Shape of Willow



■Earthquake isolation system [Willow]

Swivel joint	B SST S SN SH etc.,				
Surface finishing	Sivel joint, Flange : KANIZEN Plating				
Surface infishing	Pipe, Elbow: Hot dip galvanizing				
Application	Chilled water, cold water, cooling water, feed water, pure water, high temperature water, chemicals, food, fire extinguishing, oil, steam				


Style No.30-70-50 Combination

This swivel combination is generally used for absorption of swing motion and mechanical vibration in vertical dog-leg piping.

In case alignment of piping system and the operating condition are severe, style No.50-40-80 assembly assure trouble -free performance.

Applications

Descaling header of rolling mill, injection molding machine, die-cast machine, industrial machine, platen presses, aircraft hydraulic and pneumatic lines and others.



Style No.50-40-80 Combination


This combination allows adequate freedom of movement to compensate for any normal motion of a vessel, within operating range, as it rides in the water.

The unit, when attached to barge or tanker manifold, is self-supporting and needs no tending during transfer operations.

This combination is the principal design of TB-NIIGATA Marine Loading Arms.

Applications

Marine loading arms for crude oil, gasses, petroleum products, chemical and cryogenic products



Style No.70-40-80 Combination

This joint combination smoothly absorbs all kinds of displacement in either of 3 axes (X, Y and Z) direction.

Piping Direction: Vertical to Horizontal, Horizontal to vertical

Applications

Willow system



Handling instructions

%Except for BD, BDR

As for BD, BDR, Please contact our sales representatives.

Working pressure The pressure of the fluid flowing in the swivel joint shall be less than the value shown in "Appendix 1 Maximum Working Pressure". When manufacturing specification is supplied, the pressure shall be less than the shown value in the specification.

2 Style

The ball bearing part of the swivel joint is fabricated with high precision. The movement of the piping is accordingly limited in swivel direction.

- (1) Ball bearing part and sealing part must always be coated with lubrication grease to maintain smooth rotation of the swivel joint as well as to maintain perfect sealing function.
- (2) The swivel joint is injected with grease prior to shipment.
- (3) Frequency of lubrication

In case of normal use swivel joint must be lubricated under maintenance.

In case it is continuously rotated or used at high temperature, the swivel joint shall be periodically inspected for lubrication and supplied with grease if necessary.

- I) Remove the ball retainer plug of the swivel joint and visually check for change in color, hardening, deterioration and decrease of grease. Supply grease when at least one of above changes is recognized.
- ii) Guideline of inspection frequency (lubrication frequency)

Recommendation:

for use in continuous rotation: every three months

for use at high temperature: every month

Please establish the inspection frequency depending on the actual usage

iii) Supply grease according to "8. (6) Supply of grease".

4 Packing

3 Lubrication

During long use of a swivel joint sealing function of the packing is gradually degraded to cause a small leak showing exudation or drip. The life of the packing finishes at this point and shall be replaced with a new one. Depending on circumstances the whole swivel joint must be replaced.

5 Rotation

Swivel joint is not rotary joint and is therefore not suitable to be rotated continuously. However, it may be rotated under non-severe conditions

6 Moment Load

The moment load is one of the important matter that influences the life of the Swivel Joints. Also even the influence by the vibration etc. at the time of the misalignment, operation of piping think by the distance from the bearing of the weight thing and joint that are attached to piping and please pay attention sufficient on the occasion of the design.

7 Storage and initial use

In case of handling of solidifying liquid, the swivel joint shall not be rotated if it has already been solidified. Otherwise the solid may be dragged in and damage the packing which may cause degradation of the seal. Packing chamber of the swivel joint shall be fully cleaned not to keep solid residue inside.

8 Disassembly and reassembly

Disassembly

(1) Removal of ball retainer plug

- I) In case of screw type ball retainer plug, pull out cotter pin or wire, and then remove ball retainer plug and O-ring by using spanner or flathead screwdriver.
- ii) In case of snap ring type ball retainer plug, remove the snap ring by using plier and then take out ball retainer plug by picking at the center of ball retainer plug with a scriber etc. and tilting the joint slightly.

(2)Removal of ball

Make the holes of ball retainer plug upside down and rotate swing to let balls inside roll out. When it is difficult to rotate the swing, then rotate the coupling instead to take out the balls. If the swivel joint is hard to rotate, pour white gasoline etc. to loosen the tightened part.



When white gasoline etc. is applied, make sufficient ventilation and take enough care not to cause fire.

(3) Disassembly

After taking out all balls swivel joint can be separated to coupling and swing.



Caution | Take care not to damage ball race and sealing surface of swivel joint.

(4) Removal of packing



Avoid using scriber or similar tools to remove packing.

If sealing surface of swivel joint is even slightly damaged, it may cause leakage.

(5) Removal of grease retainer ring and dust seal



Caution Take care not to damage sealing surface of swivel joint.

Inspection of removed parts

(1)Oil, dirt and attachment on the removed parts must be cleaned using suitable cleaner.



Make sufficient ventilation when cleaner is used.



Caution | Take care not to damage sealing surface and ball race surface.

(2)Ball race and sealing surface

Inspect ball race for crack, brine ling, corrosion etc. Very small defect may be removed using fine (more than #600 grade) sandpaper.

If the defect is hard to remove with sandpaper, that whole swivel joint shall be replaced.

Reassembly

When swivel joint is reassembled after disassembly and inspection all parts except for the main body of swivel joint shall be replaced with new ones. Reassembly is to be made in the opposite order of disassembly. Take enough care not to include foreign particles attached on ball bearing part as well as on sealing part.

	А	application	Grease
	General Low pressure use High pressure Extra high pressure		Multi-purpose type
			Extreme pressure Multi-purpose type
	High temperature		Resist high temperature type
	Other tha	n those above	Silicon grease, etc.

(1)Lubrication with grease

Apply suitable grease for the application thin and uniform on the packing, grease retainer ring, ball race and sealing surface.


(2) Mounting of grease retainer ring or dust seal

The grease retainer ring shall be fitted to the ring groove carefully making the direction of the lip as shown in the diagram.

The dust seal shall be adjusted with its length and then fitted in the ring groove.



Caution Grease retainer ring shall not be stretched too much.



8 Disassembly and reassembly

(3)Insertion of packing

Be sure that outer ring (metal ring) is attached to the circumference of the packing.

The outer ring is necessary to prevent the packing from protruding to the ball race side.

- I) A-Type When packing is inserted, make sure that the outer ring faces to the near side(ball race side).
- ii) B-Type The packing is allowed to face to either side.

(4)Insertion of ball

I) Firmly, fix the coupling. It makes it easier to mount the swing on the coupling.



Caution Avoid labored mounting or protrusion of grease retainer ring.

ii) Insert swing so that coupling aligns with ball race of the swing.



Caution | Avoid inserting the swing too far.

iii) First prepare two balls for compressing the packing. iv) Insert a ball by tapping with a rod that makes it easier to insert the next ball.



Caution When tapping with a rod, take care not to damage the insertion hole.

v) Necessary number of balls shall be surely inserted to fill each ball race full. When the last ball is tapped with a rod, the first ball comes out.

Check whether all necessary balls are inserted in each ball race.

As for number of steel balls refer to "Appendix 2 Size and number of steel balls per swivel"

(5) Mounting of ball retainer plug


I) Screwed type ball retainer plug

Fit O-ring first and then screw ball retainer plug into the body. For high pressure swivel joint use a cotter pin or wire to prevent loosening.


ii) Rubber ball retainer plug

Insert ball retainer plug and fit snap ring by using plier.

(6) Supply of grease



Outer Ring





Caution

Take care not to fill too much grease. If grease pressure remains, the packing may be deformed to cause leakage as well as disturbance of rotation.

9 Instructions for welding

Instructions for welding

Pay attention to the followings when swivel joint is welded to piping.

(1) Disassemble swivel joint before welding.

This is necessary to protect packing and grease retainer ring from excess heat and to prevent degradation of grease.

- (2) Pipe and swivel joint body are tentatively mounted and welded to confirm neither eccentricity nor tilt exists and then open up full welding
 - i)During welding bind up wet cloth etc. to prevent heating up of the ball race part over 80°C.
 - ii)Take care not to damage machined surface of the swivel joint during welding work. Cover the finished surface not to be attached with spatter of welding.
- iii)After completion of welding clean the ball race part, packing, sealing surface of dust seal with cleaner.



Danger | Make sufficient ventilation when cleaner is used.

10 Mounting To prevent leaking from the connection part with hose or pipe, position please install swivel joint at the centering position.

TB-NIIGATA Weco Wing Union





Compact and easily to replace seals

							Siz	ze			
FIG.NO.	Color	Maximum	Material	Body	1"	1-1/2"	2"	3"	4"	5"	
FIG.NO.	Color	pressure	ivialeriai	Seal	25A	40A	50A	80A	100A	125A	
602		6,000psi (41.4MPa)	S40	oc •		•	•	•	•		
		(41.4WFa)	NE	BR							
1002		*10,000psi S40C SCM435		_	_ _	•	•	•	•		
		(69.0MPa)	NE	BR							
1502		15,000psi	S40 SCM		_	_	_	•	•	_	
		(103.4MPa)		BR							

*Max pressure for FIG1002.5B is 7,500psi(51.7MPa)

How to use

Niigata Weco Wing Unions are commonly utilized as pipe connectors in drilling operations. They effectively address challenges related to the complex movement and twisting of high-pressure, long pipes by incorporating Swivel Joints in combination with the pipes.

Usage | ●Submarine & aboveground pipes of oil drilling machinery

- •Machinery for hot spring excavation
- ●Pipelines for cementing

■Combination with Swivel Joint ■Steel Hose






Structure

- Standard screw thread end is Line Pipe Screw.
- •We can produce Butt weld & other screw standard such as Rc & NPT.
- Please tell us about bevel measurement of pipes in case of

*For further details, please contact us.

■Line Pipe Screw End








		FIG602							
Si	ze	ı	Dimen	sions	(mm)		Weight		
Α	В	Α	В	С	D	Е	(kg)		
^		^	LP		LP	Sch160			
25	1	58.7	89.7	44.5	6.4	89.7	1.4		
40	1-1/2	81.0	123.8	65.1	6.4	119.1	4.1		
50	2	95.3	133.4	75.4	6.4	133.4	5.4		
80	3	119.0	158.8	105.6	9.5	144.5	9.5		
100	4	131.8	208.7	132.6	9.5	144.5	13.6		

	FIG1002							
Si	ze	ı	Dimen	sions	(mm)		Weight	
Α	В	Α	В	С	D	Е	(kg)	
A	Ь	^	LP		LP	Sch160	. 3,	
50	2	95.0	133.4	75.4	6.4	127.8	5.8	
80	3	109.5	158.8	105.6	9.5	138.1	10.0	
100	4	124.0	208.7	132.6	9.5	144.5	14.5	
125	5	153.9	_	_	_	155.6	_	

Α	В	Α	В	С	ט	E	(kg)
А	В	A	LP		LP	Sch160	(1.5)
50	2	95.0	133.4	75.4	6.4	127.8	5.8
80	3	109.5	158.8	105.6	9.5	138.1	10.0
100	4	124.0	208.7	132.6	9.5	144.5	14.5
125	5	153.9	_	_	_	155.6	_

*FIG1002 5B is only Butt welded & sealed with O rings

	FIG1502								
Si	ze Dimensions(mm)								
А	В	Α	В	С	D	Е	Weight (kg)		
А	В	А	LP		LP	Sch160	· J,		
50	2	97.5	177.8	81.0	6.4	158.8	8.7		
80	3	114.0	193.7	112.0	9.5	133.4	13.6		

^{*}The mass is for Line Pipe Screw End.


TB-NIIGATA Ball joint



Niigata ball joints in piping systems makes the following advantages.

- •Ball joints allows for simultaneous rotation and tilt, enabling it to adapt to piping movements in multiple directions.
- ●The low-end thrust design extends the lifespan of your piping system.
- Experience cost savings as our ball joint reduces the number and weight of anchors and guides
- •Maximize functionality in limited space with our compact and efficient pipe loops.
- •Rest assured with our joint's ability to withstand shocks and vibrations, ensuring safety.
- •Ball joint is meticulously designed for reliable operation and minimal maintenance in any usage.





Material

Body	Carbon steel
Packing	Phenol, glass fiber Max. working temperature 200°C

Connection

Welded	Bevel end (Sch40)
Flange	JIS10K, JIS20K, JPI150 etx.,

